

GOVERNMENT OF ANDHRA PRADESH

ABSTRACT

Public Services –Panchayat Raj & Rural Development Department – Sri. Thiru Vengala Chary, Assistant Executive Engineer , Panchayat Raj, Vigilance & QC, Warangal Division has failed to ensuring quality of the works by the field staff during the execution of the works , by conduct checks during execution and after execution - Disciplinary action against late Sri. K. Thiru Vengala Chary, Assistant Executive Engineer, Panchayat Raj– Expired on 25.03.2009 – Further action – Abated – Orders – Issued.

PANCHAYAT RAJ AND RURAL DEVELOPMENT (Vig.I) DEPARTMENT

G.O.Rt.No.145

Dated:04.02.2011

Read the following:-

1. Govt. Memo No.558/Vig.I/2004-26, PR& RD (Vig.1) department, dt. 25.09.2006
2. G.O.Rt.No. 1300 PR & RD (Vig.1 Department dated: 09.09.2009.
3. G.O.Rt.No.1301PR&RD(Vig.1) Department dated: 09.09.2009
4. From the Engineer-in-Chief, Panchayat Raj, Hyderabad Lr.No.Vig.(5) /18458/99 dated. 07.08.2010.

ORDER:

In the reference 1st read above, a charge was framed under Rule 20 of A.P.C.S. (CC&A) Rules, 1991 against Sri. K. Thiru Vengala Chary , Assistant Executive Engineer , Panchayat Raj, Vigilance & QC, Warangal Division on the allegation that he has failed to ensuring quality of the works by the field staff during the execution of the works , by conduct checks during execution and after execution.

2. In the reference 2nd & 3rd read above, the Govt. has issued orders appointing Dr. S. Battacharya , IAS, Member , Commissioner of Inquiries , General Administration Department as Inquiry authority and the Superintending Engineer , Panchayat Raj , Warangal as presenting Officer under rule 20 of A.P.C.S (CC&A) Rules 1991.

3. In the reference 4thread above, the Engineer-in-Chief, Panchayat Raj has stated that the charged officer Sri. K.Thiru Vengala Chary, Assistant Executive Engineer, Panchayat Raj, Vigilance & QC, Warangal Division expired on 25.03.2009.

4. Government, after careful examination of the matter, have decided to abate further action and accordingly hereby abate further action against late Sri. K. Thiru Vengala Chary, Assistant Executive Engineer , Panchayat Raj Vigilance & QC, Warangal Division in the matter.

5. In regard to loss caused to Government by late Sri. K.Thiru Vengala Chary, Assistant Executive Engineer, Panchayat Raj, Vigilance & QC, Warangal Division suitable orders will be issued after a decision is taken by the Government.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

Dr. RAJIV SHARMA
PRL. SECRETETARY TO GOVT., (PR)

To
The Engineer – in –Chief, Panchayat Raj, Hyderabad.

// Forwarded:: By:: Order //

SECTION OFFICER